

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently amended) A telematics communication system for a mobile platform, comprising:
a wireless communicator for wirelessly communicating with a service provider; and
a controller electrically coupled to the wireless communicator,
wherein the controller is adapted to perform the following for a wireless connection from the a mobile platform to the service provider:
to determine whether the wireless connection is a ~~hands-free~~ phone call
or an integrated voice recognition (IVR) call;
to select one of a phone call filter when it is determined that the
wireless connection is the phone call and an IVR filter when it
is determined that the wireless connection is the IVR call based
on the wireless connection determination; and
to filter a voice signal for the wireless connection with the selected
filter, and
wherein a noise level specification filtered by the IVR filter is less than
a noise level specification filtered by the phone call filter.
2. (Original) The telematics communication system of claim 1, wherein the mobile platform comprises an automobile.
3. (Original) The telematics communication system of claim 1, wherein the wireless communicator comprises at least one of a radio transmitter/receiver, a cellular transmitter/receiver, and a satellite transmitter/receiver.
4. (Original) The telematics communication system of claim 1, wherein the controller is further adapted to perform the following at least upon termination of the wireless connection from the mobile platform to the service provider:
to determine whether a subsequent wireless connection is required;

to determine whether any subsequent wireless connection is a phone call or an IVR call;
to select one of the phone call filter and the IVR filter based on the subsequent wireless connection determination; and
to filter a voice signal for the subsequent wireless connection with the subsequently selected filter.

5. (Original) The telematics communication system of claim 1, wherein the controller is further adapted:

to determine whether a filter adjustment is required; and
if filter adjustment is required, to change a filter parameter of the selected filter.

6. (Original) The telematics communication system of claim 5, wherein the filter parameter comprises one of a noise cancellation ratio, an echo cancellation ratio, a talking volume adjustment, and a filter slope.

7. (Original) The telematics communication system of claim 1, wherein the controller is further adapted:

to determine whether a filter adjustment is required; and
if filter adjustment is required, to select a subsequent filter, and
wherein the controller filters the wireless connection with the subsequent filter.

8. (Currently amended) A method of exchanging information in a wireless network, comprising:

determining whether a wireless connection from a mobile platform to a server is a phone call or an integrated voice recognition (IVR) call;
selecting one of a phone call filter when it is determined that the wireless connection is the phone call and an IVR filter when it is determined that the wireless connection is the IVR call based on the wireless connection determination; and
filtering a voice signal for the wireless connection with the selected filter, and

wherein a noise level specification filtered by the IVR filter is less than a noise level specification filtered by the phone call filter.

9. (Original) The method of claim 8, further comprising:
initiating the wireless connection from the mobile platform to the server.
10. (Original) The method of claim 9, wherein initiating the wireless connection comprises:
selecting the IVR call;
transmitting a user identification (ID) to the server; and
verifying the user identification (ID) on the server.
11. (Original) The method of claim 8, wherein the mobile platform comprises an automobile.
12. (Original) The method of claim 8, wherein the wireless connection comprises at least one of a radio channel, a cellular channel, and a satellite channel.
13. (Original) The method of claim 8, further comprising, upon termination of the wireless connection:
determining whether a subsequent wireless connection is required;
determining whether any subsequent wireless connection is a phone call or an IVR call;
selecting one of the phone call filter and the IVR filter based on the subsequent wireless connection determination; and
filtering a voice signal for the subsequent wireless connection with the subsequently selected filter.
14. (Original) The method of claim 8, further comprising:
determining whether a filter adjustment is desired; and
if filter adjustment is desired, changing a filter parameter of the selected filter.

15. (Original) The method of claim 14, wherein the filter parameter comprises one of a noise cancellation ratio, an echo cancellation ratio, a talking volume adjustment, and a filter slope.
16. (Original) The method of claim 8, further comprising:
determining whether a filter adjustment is desired; and
if filter adjustment is desired, selecting a subsequent filter,
wherein filtering the wireless connection filters the wireless connection with the
subsequent filter.
17. (Currently amended) A telematics communication system, comprising:
means for wirelessly communicating between a mobile platform and a server; and
means for selectively filtering a voice signal for the wireless communication with one
of a phone call filter and an integrated voice recognition (IVR) filter,
wherein a noise level specification filtered by the IVR filter is less than a noise
level specification filtered by the phone call filter.
18. (Original) The telematics communication system of claim 17, wherein the mobile
platform comprises an automobile.
19. (Original) The telematics communication system of claim 17, wherein the means for
wirelessly communicating communicates via one of a radio channel, a cellular
channel, and a satellite channel.
20. (New) The telematics communication system of claim 1, wherein the phone call is a
hands-free phone call.
21. (New) The telematics communication system of claim 1, wherein the noise level
specification comprises at least one of a noise cancellation ratio, an echo cancellation
ratio, a talking volume adjustment, and a filter slope.
22. (New) The telematics communication system of claim 1, wherein the voice signal
includes a user's voice.

23. (New) A telematics communication system for a mobile platform, comprising:
a wireless communicator for wirelessly communicating with a service provider;
a memory storing a phone call filter and an integrated voice recognition (IVR) filter;
and
a controller electrically coupled to the wireless communicator and the memory, and
wherein the controller is adapted to perform the following for a wireless connection
from a mobile platform to the service provider:
- to determine whether the wireless connection is a phone call or an IVR
call;
 - to select one of the phone call filter in the memory when it is
determined that the wireless connection is the phone call and
the IVR filter in the memory when it is determined that the
wireless connection is the IVR call based on the wireless
connection determination; and
 - to filter a voice signal for the wireless connection with the selected
filter in memory.